

|    | Type | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|------|--|--|---------------------|
| 1  | BRS  | 2231 | 361/681  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/15<br>14:03 |
| 2  | BRS  | 736  | 361/681 and lcd  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/15<br>14:04 |
| 3  | BRS  | 481  | (361/681 and lcd) and<br>cover   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/27<br>09:33 |
| 4  | BRS  | 324  | ((361/681 and lcd) and<br>cover) and support   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/15<br>14:06 |
| 5  | BRS  | 183  | ((((361/681 and lcd) and<br>cover) and support) and<br>frame   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/15<br>14:06 |
| 6  | BRS  | 14   | (((((361/681 and lcd) and<br>cover) and support) and<br>frame) and (rear adj cover)                                      | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:51 |
| 7  | BRS  | 539  | "lcd" and (rear adj cover)<br>and (front cover)  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/27<br>09:43 |
| 8  | BRS  | 467  | "lcd" and (rear adj cover)<br>and (front bezel)  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/15<br>14:46 |
| 9  | BRS  | 539  | ("lcd" and (rear adj cover)<br>and (front cover)) or ("lcd"<br>and (rear adj cover) and<br>(front bezel))                | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/15<br>14:46 |
| 10 | BRS  | 302  | ((("lcd" and (rear adj cover)<br>and (front cover)) or ("lcd"<br>and (rear adj cover) and<br>(front bezel))) and support | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/15<br>14:47 |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|------|--|--|---------------------|
| 11 | BRS  | 195  | ((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/19<br>08:26 |
| 12 | BRS  | 89   | (((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling)                        | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/16<br>07:54 |
| 13 | BRS  | 89   | (((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling)                        | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2003/10/16<br>07:54 |
| 14 | BRS  | 62   | (((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling) ) and groove           | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/19<br>08:27 |
| 15 | BRS  | 13   | ((((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling) ) and groove) and rib | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:52 |
| 16 | BRS  | 538  | (361/681 and lcd) and cover  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/27<br>09:34 |
| 17 | BRS  | 40   | ((361/681 and lcd) and cover ) and bezel and support   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/27<br>09:34 |

|    | Type | Hits | Search Text  | DBs  | Time Stamp       |
|----|------|------|--|--|------------------|
| 18 | BRS  | 7    | ((361/681 and lcd) and cover ) and bezel and support) and rib  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2005/01/16 11:46 |
| 19 | BRS  | 285  | "lcd" and (rear adj cover) and ((front adj cover) or bezel)  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2004/05/27 10:38 |
| 20 | BRS  | 116  | ("lcd" and (rear adj cover) and ((front adj cover) or bezel)) and panel and support                  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2004/05/27 10:40 |
| 21 | BRS  | 48   | ((("lcd" and (rear adj cover) and ((front adj cover) or bezel)) and panel and support ) and coupling | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2005/01/16 11:46 |
| 22 | BRS  | 2101 | ("lcd" or display or monitor) and cover and bezel  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2004/05/28 13:34 |
| 23 | BRS  | 767  | ((("lcd" or display or monitor) and cover and bezel) and panel and support                           | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2004/05/27 10:41 |
| 24 | BRS  | 195  | ((("lcd" or display or monitor) and cover and bezel) and panel and support ) and coupling and screen | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2004/08/19 08:42 |
| 25 | IS&R | 10   | ((("5838400") or ("5504605") or ("5479285") or ("5216411")).PN.                                      | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | 2004/05/27 13:57 |
| 26 | BRS  | 2101 | ("lcd" or display or monitor) and cover and bezel  | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2004/05/28 13:35 |
| 27 | BRS  | 0    | ((("lcd" or display or monitor) and cover and bezel ) and "tool access hole"                         | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB        | 2004/05/28 13:46 |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|------|--|--|---------------------|
| 28 | BRS  | 79   | "tool access hole"   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/28<br>13:36 |
| 29 | BRS  | 9    | "tool access hole" and display   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:47 |
| 30 | BRS  | 34   | "tool access hole" and cover   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:52 |
| 31 | BRS  | 0    | ((("lcd" or display or monitor) and cover and bezel ) and "tool access slot"   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/28<br>13:46 |
| 32 | BRS  | 0    | ((("lcd" or display or monitor) and cover and bezel ) and "tool access opening"  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/05/28<br>13:46 |
| 33 | BRS  | 16   | (((((361/681 and lcd) and cover) and support) and frame) and (rear adj cover)  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:49 |
| 34 | BRS  | 236  | ((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/19<br>08:27 |
| 35 | BRS  | 73   | (((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling) ) and groove           | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/19<br>08:27 |
| 36 | BRS  | 17   | ((((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling) ) and groove) and rib | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:50 |

|    | Type | Hits | Search Text  | DBs  | Time Stamp          |
|----|------|------|--|--|---------------------|
| 37 | BRS  | 7    | ((((361/681 and lcd) and cover ) and bezel and support) and rib  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:53 |
| 38 | BRS  | 50   | ((("lcd" and (rear adj cover) and ((front adj cover) or bezel)) and panel and support ) and coupling   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/19<br>08:32 |
| 39 | BRS  | 7    | ((((361/681 and lcd) and cover ) and bezel and support) and rib  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/19<br>08:39 |
| 40 | BRS  | 50   | ((("lcd" and (rear adj cover) and ((front adj cover) or bezel)) and panel and support ) and coupling   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:50 |
| 41 | BRS  | 203  | ((("lcd" or display or monitor) and cover and bezel) and panel and support ) and coupling and screen   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2004/08/19<br>08:42 |
| 42 | BRS  | 18   | (((((361/681 and lcd) and cover) and support) and frame) and (rear adj cover)  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:45 |
| 43 | BRS  | 19   | ((((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling) ) and groove) and rib | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:46 |
| 44 | BRS  | 9    | ((((361/681 and lcd) and cover ) and bezel and support) and rib  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:46 |
| 45 | BRS  | 60   | ((("lcd" and (rear adj cover) and ((front adj cover) or bezel)) and panel and support ) and coupling   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:54 |

|    | Type | Hits | Search Text   | DBs  | Time Stamp          |
|----|------|------|---|--|---------------------|
| 46 | BRS  | 9    | "tool access hole" and display  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:47 |
| 47 | BRS  | 36   | "tool access hole" and cover  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:48 |
| 48 | BRS  | 18   | (((((361/681 and lcd) and cover) and support) and frame) and (rear adj cover)   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:49 |
| 49 | BRS  | 9    | (((((361/681 and lcd) and cover ) and bezel and support) and rib  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:53 |
| 50 | BRS  | 19   | (((((("lcd" and (rear adj cover) and (front cover)) or ("lcd" and (rear adj cover) and (front bezel))) and support) and frame) and (boss or protrusion or coupling) ) and groove) and rib | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:50 |
| 51 | BRS  | 60   | ((("lcd" and (rear adj cover) and ((front adj cover) or bezel)) and panel and support ) and coupling  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:50 |
| 52 | BRS  | 24   | (((((361/681, "683" and lcd) and cover ) and bezel and support) and rib   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:56 |
| 53 | BRS  | 0    | (((((361/681 or 361/683).pn. and lcd) and cover ) and bezel and support) and rib  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:55 |
| 54 | BRS  | 0    | (361/681 or 361/683).pn.  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:56 |

|    | Type | Hits | Search Text   | DBs  | Time Stamp          |
|----|------|------|---|--|---------------------|
| 55 | BRS  | 3725 | (361/681 or 361/683).ccls.  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/01/16<br>11:56 |
| 56 | BRS  | 29   | ((S55 and cover ) and<br>bezel and support) and rib   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:54 |
| 57 | BRS  | 20   | (((((361/681 and lcd) and<br>cover) and support) and<br>frame) and (rear adj cover)   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:51 |
| 58 | BRS  | 20   | ((((((("lcd" and (rear adj<br>cover) and (front cover)) or<br>("lcd" and (rear adj cover)<br>and (front bezel))) and<br>support) and frame) and<br>(boss or protrusion or<br>coupling) ) and groove)<br>and rib | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:52 |
| 59 | BRS  | 36   | "tool access hole" and<br>cover   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:52 |
| 60 | BRS  | 7    | ((((361/681 and lcd) and<br>cover ) and bezel and<br>support) and rib   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:53 |
| 61 | BRS  | 70   | ((("lcd" and (rear adj cover)<br>and ((front adj cover) or<br>bezel)) and panel and<br>support ) and coupling   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:54 |
| 62 | BRS  | 3866 | (361/681 or 361/683).ccls.  | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:54 |
| 63 | BRS  | 30   | ((S62 and cover ) and<br>bezel and support) and rib   | US-PGPUB; USPAT;<br>EPO; JPO;<br>DERWENT;<br>IBM_TDB | 2005/04/21<br>10:54 |